


CUSTOMER: **FPT** CUSTOMER ORDER REF: **785 FPT**
 DISTRIBUTOR: **ANDANTEX S.r.l** REDEX ORDER REF: **216508**
 DESIGNATION: **KRP2.M1.21.3.H.28/38** SERIAL NUMBER: **906576**
 CODE: **RX133901-11** MOTOR FLANGE CODE: **RX133903-01**

EXTERNAL DIMENSIONS & INTERFACES: SN: **906576**



General tolerance: Js13 Cmm Automatic / manual coordinate-measuring machine µm Micrometer Cr Calliper rule Di Dial indicator Pg Plug gauge

For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
E4409				F647							
E1	212h7 ⁰ _{-0,046} µm	211,97	Span dimension over 4 teeth				Ø B	180H6 ^{+0,025} ₀ µm	180,02		
E2	200h7 ⁰ _{-0,046} µm	200	G1	44,27 ⁰ _{-0,03} Cmm	44,255	Ø C	38F7 ^{+0,050} _{+0,025} µm	38,03			
n x H on PCD J	12 Ø9 on PCD 233	12 Ø9 on PCD 233	g1	0,022	Di	0,005	D	8	Cr	8,03	
A	288	288	No-load input torque				Ø S1	215	Cr	215	
L	94	94	Line 1				Ø Y1	M12	Pg	M12	

Noise level		
	Line	Stiffness
Torsional stiffness (Nm/arcmin)	1	243,75
Radial stiffness (N/µm)	1	619

@1600 rpm input (dB(A)) 63,0

Date: **29/08/2022**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.