


CUSTOMER: **PAMA** CUSTOMER ORDER REF: ***646 PAMA**
 DISTRIBUTOR: **ANDANTEX S.r.l** REDEX ORDER REF: **216354**
 DESIGNATION: **KRP2.M1.31.3.H.28/38** SERIAL NUMBER: **906688**
 CODE: **RX133901-12** MOTOR FLANGE CODE: **RX128581-01**

EXTERNAL DIMENSIONS & INTERFACES: SN: **906688**



General tolerance: Js13 Cmm Automatic / manual coordinate-measuring machine µm Micrometer Cr Calliper rule Di Dial indicator Pg Plug gauge

For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
		E4391				F656					
E1	212h7 ⁰ _{-0,046} µm	211,99	Span dimension over 4 teeth				Ø B	181 µm	181,01		
E2	200h7 ⁰ _{-0,046} µm	199,98	G1	44,27 ⁰ _{-0,03} Cmm	44,26	Ø C	38 ^{+0,05} _{+0,025} µm	38,05			
n x H on PCD J	12 Ø9 on PCD 233 Cr	12 Ø9 on PCD 233 Cr	g1	0,022 Di	0,02	Ø D	8 Cr	8,53			
A	288 µm	288,71	No-load input torque				Ø S1	215 Cr	215		
L	94 µm	93,86	Line 1		0,6 Nm	Ø Y1	M12 Pg	M12			

			Noise level	
			@1600 rpm input (dB(A))	61,0
Torsional stiffness (Nm/arcmin)	1	243,75		
Radial stiffness (N/µm)	1	632		

Date: **30/08/2022**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.