


CUSTOMER: **PAMA** CUSTOMER ORDER REF: ***646 PAMA**
 DISTRIBUTOR: **ANDANTEX S.r.l** REDEX ORDER REF: **216354**
 DESIGNATION: **KRP2.M1.31.3.H.28/38** SERIAL NUMBER: **906690**
 CODE: **RX133901-12** MOTOR FLANGE CODE: **RX128581-01**

EXTERNAL DIMENSIONS & INTERFACES: SN: **906690**



General tolerance: Js13 Cmm Automatic / manual coordinate-measuring machine µm Micrometer Cr Calliper rule Di Dial indicator Pg Plug gauge

For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
		E4417				F657					
E1	212h7 ⁰ _{-0,046} µm		211,99	Span dimension over 4 teeth				Ø B	181 µm		181,01
E2	200h7 ⁰ _{-0,046} µm		199,98	G1	44,27 ⁰ _{-0,03} Cmm		44,25	Ø C	38 ^{+0,05} _{+0,025} µm		38,04
n x H on PCD J	12 Ø9 on PCD 233	Cr	12 Ø9 on PCD 233	g1	0,022	Di	0,01	Ø S1	215	Cr	215
A	288 µm		288,74	No-load input torque				Ø Y1	M12	Pg	M12
L	94 µm		93,94	Line 1		0,7 Nm					

Noise level			
		Line	Stiffness
			@1600 rpm input (dB(A))
			62,5
Torsional stiffness (Nm/arcmin)	1		243,75
Radial stiffness (N/µm)	1		562

Date: **30/08/2022**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.