

CUSTOMER: **PREET** CUSTOMER ORDER REF: **P.0621-2022-2610 PREET**
 DISTRIBUTOR: **REDEX ORDER REF: 216741**
 DESIGNATION: **KRP4+R.31.4.H** SERIAL NUMBER: **906779**
 CODE: **RX129176-12** MOTOR FLANGE CODE:

EXTERNAL DIMENSIONS & INTERFACES: SN: **906779**



For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

General tolerance: Js13 Cmm Automatic / manual coordinate-measuring machine μm Micrometer Cr Calliper rule Di Dial indicator Pg Plug gauge

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
		E6463				H714				-	
E1	285h7 ⁰ _{-0,052} μm		284,97	Span dimension over 3 teeth				∅	B		μm
E2	285h7 ⁰ _{-0,052} μm		284,97	G1	46,9 ⁰ _{-0,03} Cmm		46,885	∅	C		μm
n x H on PCD J	16 ∅14 on PCD 310	Cr	16 ∅14 on PCD 310	g1	0,022	Di	0,01	∅	D		Cr
V	414,3	μm	414,21	No-load input torque				∅	S1		Cr
L	141	μm	141,06	Line 1				∅	Y1		Pg
∅ Q1	35 ^{+0,011} _{-0,005} μm		34,998	Line				Stiffness		Noise level	
∅ Q2	35 ^{+0,011} _{-0,005} μm		34,998							@1300 rpm input (dB(A))	68,5
				Torsional stiffness (Nm/arcmin)		1	574,81				
				Radial stiffness (N/μm)		1	1257				

Date: **28/07/2022**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.