

CUSTOMER: **ARCO CHEER ENTERPRISE CO** CUSTOMER ORDER REF: **RX111305T ARCO CHEER**
 DISTRIBUTOR: **REDEX ORDER REF: 217399**
 DESIGNATION: **KRP2.R1.21.4.H** SERIAL NUMBER: **907577**
 CODE: **RX133930-11** MOTOR FLANGE CODE:

EXTERNAL DIMENSIONS & INTERFACES: SN: **907577**



For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

General tolerance: Js13 *Cmm* Automatic / manual coordinate-measuring machine μm Micrometer *Cr* Calliper rule *Di* Dial indicator *Pg* Plug gauge

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
		F273				F2772				-	
E1	212h7 ⁰ _{-0,046}	μm	211,96	Span dimension over 4 teeth				\emptyset	B	μm	
E2	200h7 ⁰ _{-0,046}	μm	199,96	G1	44,27 ⁰ _{-0,03}	<i>Cmm</i>	44,245	\emptyset	C	μm	
n x H on PCD J	12 \emptyset 9 on PCD 233	<i>Cr</i>	12 \emptyset 9 on PCD 233	\nearrow g1	0,022	<i>Di</i>	0,01	\emptyset	D	<i>Cr</i>	
V	289	μm	289,35	No-load input torque				\emptyset	S1	<i>Cr</i>	
L	94	μm	93,93	Line 1		1 Nm		\emptyset	Y1	<i>Pg</i>	
\emptyset Q1	25 ^{+0,009} _{-0,004}	μm	24,996	Noise level							
\emptyset Q2	25 ^{+0,009} _{-0,004}	μm	24,998			Line	Stiffness	@1600 rpm input (dB(A))		69,0	
				Torsional stiffness (Nm/arcmin)		1	243,75				
				Radial stiffness (N/ μm)		1	554				

Date: **21/04/2023**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.