


CUSTOMER: **GERIB ASSISTANCE** CUSTOMER ORDER REF: ***AUX23_005 GAT**
 DISTRIBUTOR: **REDEX ORDER REF: 218158**
 DESIGNATION: **KRP1+M.7.3.H.28/38** SERIAL NUMBER: **908236**
 CODE: **RX129833-02** MOTOR FLANGE CODE: **RX128581-01**

EXTERNAL DIMENSIONS & INTERFACES: SN: **908236**



General tolerance: Js13 *Cmm* Automatic / manual coordinate-measuring machine μm Micrometer *Cr* Calliper rule *Di* Dial indicator *Pg* Plug gauge

For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
		G1954				F568					
E1	152h7 ⁰ _{-0,04}	μm	151,99	Span dimension over 3 teeth				Ø B	181	μm	181
E2	140h7 ⁰ _{-0,04}	μm	139,99	G1	23,28 ⁰ _{-0,03}	<i>Cmm</i>	23,265	Ø C	38 ^{+0,05} _{+0,025}	μm	38,035
n x H on PCD J	12 Ø6,5 on PCD 168	<i>Cr</i>	12 Ø6,5 on PCD 168	g1	0,021	<i>Di</i>	0,02	Ø D	8	<i>Cr</i>	8,54
A	217	μm	217,78	No-load input torque				Ø S1	215	<i>Cr</i>	215
L	71	μm	70,74	Line 1	0,8 Nm		Ø Y1	M12	<i>Pg</i>	M12	

		Line	Stiffness	Noise level	
				@1600 rpm input (dB(A))	65,0
Torsional stiffness (Nm/arcmin)	1	81,39			
Radial stiffness (N/ μm)	1	399			

Date: **14/12/2023**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.