


CUSTOMER: **CNR** CUSTOMER ORDER REF: ***RXCN2023110963 CNR**
 DISTRIBUTOR: **REDEX SHANGHAI REPAIRING** REDEX ORDER REF: **218333**
 DESIGNATION: **KRP2.M1.31.3.H.28/38** SERIAL NUMBER: **908443**
 CODE: **RX133901-12** MOTOR FLANGE CODE: **RX128581-01**

EXTERNAL DIMENSIONS & INTERFACES: SN: **908443**



General tolerance: Js13 *Cmm* Automatic / manual coordinate-measuring machine μm Micrometer *Cr* Calliper rule *Di* Dial indicator *Pg* Plug gauge

For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

HOUSING				OUTPUT PINION				MOTOR FLANGE			
requirement		measure		requirement		measure		requirement		measure	
		G8				F5078					
E1	212h7 ⁰ _{-0,046} μm		211,98	Span dimension over 4 teeth				Ø B	181	μm	180,99
E2	200h7 ⁰ _{-0,046} μm		199,99	G1	44,27 ⁰ _{-0,03} <i>Cmm</i>		44,253	Ø C	38 ^{+0,05} _{+0,025} μm		38,035
n x H on PCD J	12 Ø9 on PCD 233	<i>Cr</i>	12 Ø9 on PCD 233	g1	0,022	<i>Di</i>	0,01	Ø S1	215	<i>Cr</i>	215
A	288	μm	288,72	No-load input torque				Ø Y1	M12	<i>Pg</i>	M12
L	94	μm	93,95	Line 1		0,5 Nm					

Noise level			
	Line	Stiffness	@1600 rpm input (dB(A))
Torsional stiffness (Nm/arcmin)	1	243,75	64,0
Radial stiffness (N/ μm)	1	613	

Date: **02/02/2024**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.