


CUSTOMER: **JIANGSU QIAOFU** CUSTOMER ORDER REF: **\*RXCN2025082369 JIANGSU QIAOFU**  
 DISTRIBUTOR: **REDEX SHANGHAI REPAIRING** REDEX ORDER REF: **220367**  
 DESIGNATION: **KRP4+R.31.4.H** SERIAL NUMBER: **910400**  
 CODE: **RX129176-12** MOTOR FLANGE CODE:

EXTERNAL DIMENSIONS & INTERFACES: SN: **910400**



For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

General tolerance: Js13 Cmm Automatic / manual coordinate-measuring machine μm Micrometer Cr Calliper rule Di Dial indicator Pg Plug gauge

HOUSING				OUTPUT PINION				MOTOR FLANGE				
requirement		measure		requirement		measure		requirement		measure		
		J4171				J2381				-		
E1	285h7 <sup>0</sup> <sub>-0,052</sub> μm		284.97	Span dimension over 3 teeth				∅	B		μm	
E2	285h7 <sup>0</sup> <sub>-0,052</sub> μm		284.98	G1	46,9 <sup>0</sup> <sub>-0,03</sub> Cmm		46.89	∅	C		μm	
n x H on PCD J	16 ∅14 on PCD 310	Cr	16 ∅14 on PCD 310	g1	0,022	Di	0.01		D		Cr	
V	414.3	μm	414.21	No-load input torque				∅	S1		Cr	
L	141	μm	140.97	Line 1				4 Nm		∅	Y1	Pg
∅ Q1	35 <sup>+0,011</sup> <sub>-0,005</sub> μm		35.003	Noise level						@1300 rpm input (dB(A))		
∅ Q2	35 <sup>+0,011</sup> <sub>-0,005</sub> μm		35.006			Line	Stiffness			68.0		
				Torsional stiffness (Nm/arcmin)		1	574,81					
				Radial stiffness (N/μm)		1	1181					

Date: **13/01/2026**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.