

CUSTOMER: **YONG JU PRECISION** CUSTOMER ORDER REF: **[REDACTED]**
 DISTRIBUTOR: **[REDACTED]** REDEX ORDER REF: **1000857**
 DESIGNATION: **KRP2.R1.31.4.H** SERIAL NUMBER: **910682**
 CODE: **RX133930-12** MOTOR FLANGE CODE: **[REDACTED]**

EXTERNAL DIMENSIONS & INTERFACES: SN: **910682**



For the installation, please refer to User Manual KRP (182/008)

SPECIFIC REMARKS:

General tolerance: Js13 *Cmm* Automatic / manual coordinate-measuring machine μm Micrometer *Cr* Calliper rule *Di* Dial indicator *Pg* Plug gauge

HOUSING					OUTPUT PINION				MOTOR FLANGE				
requirement		measure			requirement		measure		requirement		measure		
		J6781					J5194				-		
E1	212h7 ⁰ _{-0,046}	μm	211.99		Span dimension over 4 teeth				\emptyset	B	μm		
E2	200h7 ⁰ _{-0,046}	μm	199.98		\nearrow	G1	44,27 ⁰ _{-0,03}	<i>Cmm</i>	44.253	\emptyset	C	μm	
n x H on PCD J		12 \emptyset 9 on PCD 233	<i>Cr</i>	12 \emptyset 9 on PCD 233		g1	0,022	<i>Di</i>	0.02	\emptyset	D	<i>Cr</i>	
V	289	μm	289.23		No-load input torque				\emptyset	S1	<i>Cr</i>		
L	94	μm	93.96		Line 1		2 Nm		Noise level				
\emptyset	Q1	25 ^{+0,009} _{-0,004}	μm	25			Line	Stiffness	@1600 rpm input (dB(A))		68.5		
\emptyset	Q2	25 ^{+0,009} _{-0,004}	μm	25.005			Torsional stiffness (Nm/arcmin)	1	222				
							Radial stiffness (N/ μm)	1	604,92				

Date: **18/05/2026**

Visa: **C DE MIRANDA**

Version: **A**

Product images are for illustrative purposes only.